Redwing Professional

Automotive Car Care Catalogue 2013



MAXIMUM SHOWROOM SHINE IN MINIMUM TIME



DASHBOARD CLEANER LEMON AEROSOL





PRODUCT FEATURES

- Makes Trims Look Like New
- Lemon Fragrance
- Cleans & Protects your Cars' Interior
- Revitalizes Vinyl, Rubber & Plastic

DIRECTIONS OF USE

- Shake well, spray onto surface or onto a dry cloth and wipe over the area you want to clean
- 2. Do not use on glass, steering wheel or pedals.

PACKING: 12 x 650 ml CODE: RDW-DSL01



ACTIVE ENGINE FOAM AEROSOL





PRODUCT FEATURES

- Removes Oil & Dirt Deposits
- Active Foam Formula
- ▶ Cleans Hard to Reach Areas

DIRECTIONS OF USE

- 1. Shake well
- 2. Switch off the engine before application!
- 3. Spray a liberal amount of foam onto the engine holding the can 8 to 12 cm from the surface
- 4. Wash down after 2-3 minutes with a pressure washer for best results.

PACKING: 12 x 650 ml CODE: RDW- EFC01



WD SUPERLUBRICANT AEROSOL




PRODUCT FEATURES Superior Lubrication Cleans & Protects

Water Dispersant Formula

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Allow product to soak
- 4. Do not wipe off



PACKING: 12 x 450 ml CODE: RDW-WDS01



TIRE FOAM





PRODUCT FEATURES

- Cleans, Shines & Protects
- One Step, No Wiping, No Rinsing
- Spray On Formula

DIRECTIONS OF USE

- 1. Shake well before use. Apply to wet or dry tires
- Spray foam 10cm from tire in a circular and steady sweeping motion
- 3. Allow to dry for 5 to 10 minutes
- 4. First wash or rinse excessively dirty or muddy tires.

PACKING: 12 x 650 ml CODE: RDW- HTF01



MULTIPURPOSE FOAM





PRODUCT FEATURES

- All Purpose Foam Cleaner
- Deep Cleaning Formula
- Perfect for Autos, Trucks, Boats

DIRECTIONS OF USE

- 1. Shake well
- 2. Check for colorfastness on a small area
- 3. Remove excess dirt with a clean, dry cloth
- 4. Spray directly on stained surface from 10 to 12 cm away
- 5. Allow to penetrate stained surface
- 6. Wipe the area with a clean dry or damp cloth
- 7. Vacum upholstery when dry.

CODE:

PACKING: 12 x 650 ml

RDW-MPF01

LEATHER CONDITIONER





PRODUCT FEATURES

- Conditions Leather
- Improved Fragrance
- ▶ Excellent Leather Protection

DIRECTIONS OF USE

- 1. Shake well
- 2. Spray on the Leather
- 3. Wipe with a soft cloth or microfiber towel

NOTE: Not for use on suede, nubuck, or any other bufferd or sensitive leathers

PACKING: 12 x 295 ml CODE: RDW-LCT01



WHEEL CLEANER





PACKING: 12 x 500 ml CODE: RDW-WCT01

PRODUCT FEATURES

- Best way to quickly clean and shine your wheels without soap.
- Removes brake dust, road contaminats and grime.
- The Multi-action formula lifts off dirt and grime without scratching.

DIRECTIONS OF USE

- 1. Spray on Wheel Rim
- 2. Allow product to soak
- 3. Rinse with Water
- 4. In case of heavy soiling use a brush



MULTIPURPOSE CLEANER





PRODUCT FEATURES

- All-purpose Cleaner
- For Car Fabric, Carpet and More...
- Removes Tough Stains and Dirt

DIRECTIONS OF USE

- 1. Shake well
- 2. Check for colorfastness of the material on a small area
- 3. Remove excess dirt with a clean, dry cloth
- 4. Spray directly on stained surface from 10 to 12 cm away
- 5. Allow to penetrate stained surface
- 6. Wipe the area with a clean dry or damp cloth or brush for resistant material

CODE:

PACKING: 12 x 500 ml

RDW-MPT01

ENGINE DRESSING





PRODUCT FEATURES

- Makes your engine new
- Advanced gloss formula
- Let your engine shine

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Spray until optimal coating is achieved

PACKING: 12 x 450 ml CODE: RDW-ED01



UNDERBODY SEALANT





PRODUCT FEATURES

- Makes your engine new
- Advanced gloss formula
- ▶ Let your engine shine

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Spray until optimal coating is achieved
- 4. Wait for the product to dry and repeat if necessary

PACKING: 12 x 650 ml CODE: RDW-US01



SAND PROTECTION





PRODUCT FEATURES

- Protects paintwork
- Easy removable with water
- Fast Application

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Spray until optimal Coating is achieved
- 4. Wait for the product to dry 5. Rinse with water to remove the coating

PACKING: 12 x 650 ml CODE: RDW-SP01



TIRE SHINE





PRODUCT FEATURES

- Extreme Shine
- Latest Formula
- ▶ For Professional Use

DIRECTIONS OF USE

- 1. Rinse the tires from excessive dirt
- 2. Apply the tire shine with a sponge or cloth

PACKING: 1 x 25L

CODE: RDW-TS2501



ENGINE DEGREASER





PRODUCT FEATURES

- Powerful, fast-acting
- Cuts through grease and oily soils quickly
- For automotive, home, and industrial use

DIRECTIONS OF USE

- Apply the degreaser on the surface with a brush or chemical safe trigger bottle
- 2. Leave it soaking for 2 minutes
- 3. Wash the area with a pressure washer
- 4. Repeat procedure for heavy soiling

PACKING: 1 x 25L

CODE: RDW-ED2501



CAR SHAMPOO





PRODUCT FEATURES

- High Concentrate
- Latest Formula
- ▶ For Professional Use

DIRECTIONS OF USE

- 1. Mix with water according to the level of soil on the vechile in a ration of up to 1:100
- 2. For foam guns follow the instructions of the Foam Gun manufacturer

PACKING: 1 x 25L

CODE: RDW-CS2501



DIAMOND GLASS CLEANER





PRODUCT FEATURES

- Streak Free Cleaning
- Safe to Use
- Ammonia Free
- For Professional Use

DIRECTIONS OF USE

- 1. Just apply on a cloth or microfiber towel and clean glass in circular motion
- 2. It can also be used in a trigger bottle

PACKING: 1 x 25L

CODE: RDW-GC2501



MULTIPURPOSE CLEANER





PRODUCT FEATURES

- All-purpose Cleaner
- For Car Fabric
- Carpet and more...
- Removes Tough Stains and Dirt

DIRECTIONS OF USE

- 1. Shake well
- 2. Check for colorfastness of the material on a small area
- 3. Remove excess dirt with a clean, dry cloth
- 4. Spray directly on stained surface from 10 to 12 cm away
- 5. Allow to penetrate stained surface
- Wipe the area with a clean dry or damp cloth or brush for resistant material

PACKING: 1 x 25L

CODE: RDW-MP2501



BRAKE CLEANER





PRODUCT FEATURES

- Very Powerful
- Cleans Grease & Brake Dust
- Quick Dry Formula

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Starting at the top, wash contaminants down and off the area
- 4. Collect fluid runoff with brake dust into an approved container
- 5. If parts are extremely contaminated, repeat application

CODE:

PACKING: 12 x 500 ml

RDW-BC01

CARB CLEANER



PRODUCT FEATURES

- Concentrated Formula
- Improves Performance
- ▶ Fast Cleaning

DIRECTIONS OF USE

- 1. Shake well
- 2. Spray onto the area and blast away the dirt
- 3. Excess will evaporate fast
- 4. Repeat application on very contaminated areas.

Tradex

CODE:

PACKING: 12 x 500 ml

RDW-CC01

WHITE LI+



PRODUCT FEATURES

- White Lithium Grease
- For Auto, Marine and Industry
- Non Drip Formula

DIRECTIONS OF USE

- 1. Shake well
- 2. Hold can 12-24 cm away from surface
- 3. Spray until optimal coating is achieved

PACKING: 12 x 450 ml CODE: RDW-WL01



RADIATOR COOLANT RTU 330





PACKING: 4 x 4 L

CODE: RDW-RC4x4

PRODUCT FEATURES

- Maintains optimum cooling system efficiency
- Protection of metal parts through corrosion inhibitors
- Protection against scale formation in the cooling system
- Ready blended with 33% Ethylene-glycol

DIRECTIONS OF USE

- Drain old coolant out of the cooling system and refil with Red Wing RTU coolant
- 2. No further dilution required, READY TO USE
- Adding water will reduce the effectiveness and indicated boiling and freezing point of the product
- 4. Only suitable for cooling systems designed for ethylene glyco/water cooling!
- In case coolant is discoloured or the cooling system shows signs
 of corrosion and or scale build-up then the system should be
 flushed with a rust and/or scale remover to ensure effective
 heat transfer f cooling liquid.



PROCOMPUND HIGH CUT





PRODUCT FEATURES

- Removes paint contamination
- Removes sanding marks
- Fast cutting results

DIRECTIONS OF USE

Use on fresh and cured paint to remove light sanding scratches Capable of producing a high gloss

This product is suitable for compounding automotive paints, marine gelcoats and composite surfaces. Use to remove surface oxidation, sanding marks from P1500 sandpapers and minor surface defects and to buff to a high gloss.

PACKING: 6 x 1 L

CODE: RDW-PH01



PROCOMPUND MEDIUM POLISH





PRODUCT FEATURES

- Refines light scratches
- High gloss finish
- Fast results

DIRECTIONS OF USE

Use on fresh and cured scratch resistant ceramic clear coats to remove light sanding marks and for restortion of all paints. Capable of producing a high gloss.

This Product is suitable for compounding automotive paints, marine gelcoats and composite surfaces. Use to remove surface oxidation, sanding marks from P2000 sandpapers and minor surface defects and to buff to a high gloss

CODE:

PACKING: 6 x 1 L

RDW-PM01

PROCOMPUND FINAL STAGE





PRODUCT FEATURES

- Idea for professional finish
- Removes swirl marks
- ▶ High gloss finish

DIRECTIONS OF USE

Use after compounding/cutting to eliminate swirl marks and holograms. Produces a deep, clear gloss.

This product is designed for use after compounding automotive paints, marine gelcoats and composite surfaces. Use to eliminate swirl marks and holograms and to polish to a deep clear gloss.

PACKING: 6 x 1 L

TRIA SILICONE FREE COMPOUND





PRODUCT FEATURES

- World class professional finish
- Removes paint contamination
- High gloss mirror finish
- Removes sanding marks
- Removes swirl marks
- 3 steps 1 product
- Fast results

DIRECTIONS OF USE

- 1. Wash surface thoroughly
- Painted Surface must be at room temperature to avoid damaging the clear coat
- 3. Use RedWing Clay bar if required
- 4. Wet sand areas with excessive scratches
- Apply products on a slightly moist RedWing Super Buff Pad for best results
- 6.Use Rotary polisher between 600 and 1000 RPM, and Orbital Polisher 150-480 RPM
- 7. Wash pads as often as necessary to ensure best results.
- 8. Polish till desired Gloss level is achieved.

NANO X — SEALANT WAX

nano x

FEMIUM PAINT SEALANT

MONTAN WAX SEALANT
SAFE ON ALL PAINTS

WETLOOK SHINE





- Montan wax sealant
- Safe on all paints
- Wetlook shine
- Extreme gloss

DIRECTIONS OF USE

- 1. Shake well
- 2. Apply only in temperature controlled areas
- 3. Apply manually or with an orbital polishing machine at low RPM
- 4. Leave the product on surface 30 to 60 min to achieve maximum protection
- 5. Buff to high gloss with a very soft micro fiber towel

PACKING: 12 x 236 ml CODE: RDW-NX236





PRODUCT FEATURES

- Easy application
- Liquid crystal finish
- Ideal for car dealers
- Professional use only

DIRECTIONS OF USE

NANO X 2 PRO - PRIMER STAGE:

1. Make sure the paint has been cleaned and polished and is free of contaminants. 2. Apply a small amount of primer (stage1) onto the black application pad and apply in circular motion onto the surface. The primer can be applied over any surface of the vehicle, paint, glass, trims, and chrome etc... 3. Once the whole vehicle is covered wait 10 minutes.

NOTE HIGH CONCETRATE- USE LITTLE AMOUNT OF PRODUCT ONLY

NANO X 2 PRO - SEALANT STAGE:

1. Apply a small amount of sealant (stage2) onto the yellow application pad and apply over the primed surface. 2. Make sure you cover all areas covered by the primer to achieve maximum protection 3. Let the product dry minimum 30 minutes to maximum 3 hours till all milky white crystals have formed.4. Buff the crystals into the paint with a soft microfiber towel

NOTE HIGH CONCETRATE- USE LITTLE AMOUNT OF PRODUCT ONLY ALWAYS USE GLOVES !!!

DON'T WASH FOR 24 HOURS AFTER
SEALANT APPLICATION !!



CODE: RDW-NX288



PROFESSIONAL QUICK WAX





PRODUCT FEATURES

- Spray & Formula
- Instant Shine
- Easy To Use
- For Professional Detailers

DIRECTIONS OF USE

- 1. Spray a small amount of product on the paint
- 2. Spread using a microfiber towel
- 3. Buff off until desired shine is achieved

PACKING: 1 x 5 L

CODE: RDW-QW005



WATERLESS CAR WASH





PRODUCT FEATURES

- Easy To Use
- No Water
- ▶ Eco Friendly

DIRECTIONS OF USE

- 1. Spray a small amount of product on the paint
- 2. Wipe using a microfiber towel in one direction
- 3. Spray again in case of heavy soiling

PACKING: 1 x 5 L

CODE: RDW-WL005



VT WOOL FOAM PAD FINE



PRODUCT FEATURES

- ▶ 100 % sheep wool top layer
- Fine Grit, soft abrasion
- Foam layer for vibration absorption
- Velcro backing
- ▶ 125mm

DIRECTIONS OF USE

- Should be used by professional and trained personal with orbital or D/A polishing machine.
- Can be used with or without compound depending on the metal/paint surface to be sanded.
- 3. Suitable for polishing cars, furniture, marble floor

PACKING: 1 x 125mm CODE: RDW-VWF01



VT WOOL FOAM PAD HARD



PRODUCT FEATURES

- ▶ 100 % sheep wool top layer
- Hard Grit, high abrasion
- Foam layer for vibration absorption
 Velcro backing
 125mm

DIRECTIONS OF USE

- Should be used by professional and trained personal with orbital or D/A polishing machine.
- Can be used with or without compound depending on the metal/paint surface to be sanded.
- 3. Suitable for polishing cars, furniture, marble floor

PACKING: 1 x 125mm CODE: RDW-VWH01



HIGH CUT FOAM PAD



PRODUCT FEATURES

- High Cut Foam action to remove moderate surface scratches
- Foam cell structure improves air flow to aid in cooling the surface
- Hook and Loop backing system
- ▶ 190 mm

DIRECTIONS OF USE

- 1. Use this pad to apply suitable compounds or polishes to remove oxidation, swirls, and scratches
- Pad abrasion changes according to the painted surface and compound grit used
- 3. Pads can be used with Orbital and Excenter polishing machine



PACKING: 1 x 190mm CODE: R190HC



MEDIUM CUT FOAM PAD



PRODUCT FEATURES

- Medium Cut Foam action to action removes minor surface scratches
- Restores high gloss
- Foam cell structure improves air flow to aid in cooling the surface
- Hook and Loop backing system
- ▶ 190mm

DIRECTIONS OF USE

- Use this pad to apply suitable compounds or polishes to remove oxidation, swirls, and scratches
- Pad abrasion changes according to the painted surface and compound grit used
- 3. Pads can be used with Orbital and Excenter polishing machine



PACKING: 1 x 190mm CODE: R190MP



FINAL STAGE FOAM PAD



PRODUCT FEATURES

- Final Stage Ultra Soft foam pad
- For brilliant and swirl free high gloss
- Foam cell structure improves air flow to aid in cooling the surface
- Hook and Loop backing system
- ▶ 190mm

DIRECTIONS OF USE

- 1. Use this pad to apply suitable compounds or polishes to remove oxidation, swirls, and scratches
- Pad abrasion changes according to the painted surface and compound grit used
- 3. Pads can be used with Orbital and Excenter polishing machine



PACKING: 1 x 190mm

CODE: R190FS



MICRO FIBER TOWEL BLUE LASER CUT



PRODUCT FEATURES

- Superior microfiber technology
- Edgeless towel eliminates cloth-inflicted swirl marks
- 350GSM (grams per square meter)
- Better absorbency than traditional terry cloth towels, producing a cleaner deeper shine
- Picks up dust and micro particles
- Machine washable

DIRECTIONS OF USE

- 1. To clean with a microfiber towel, wipe any smooth surface with the towel
- Keep turning the towel as you clean to use a fresh area, for the most efficient cleaning
- If the towel is leaving streaks of moisture behind, it is too wet, and should be wrung out again
- 4. If the towel is leaving streaks of dirt or grime, move to a fresh area of the towel or rinse the towel with water
- 5. Do not use soaps, detergents, cleaners or degreasers with a microfiber towel
- 6. The chemicals will prevent the towel from working
- 7. For machine wash use only microfiber towel safe detergents





PAD WASHER RED



PRODUCT FEATURES

- Keep your buffing and polishing pads clean
- Saves time and money.
- Compatible with All Buffers & Polishers
- Suitable for foam pads, wool pads, buffing balls, buffing bonnets,
- Cleans your pads faster, deeper, and more efficiently

DIRECTIONS OF USE

- 1. Keep the pad's backing out of the water when using Pad Washer
- 2. Fill with the appropriate level of water
- 3. Press down on the grid insert until the springs are fully compressed
- 4. Fill until the water level reaches just above the Insert
- 5. When you press down on the grid insert with the polisher, the springs will pump water upwards to the pad
- 6. Always operate the pad washer with the Splash cover closed
- Always use the Dual Action Pad Washer with the polisher on its lowest setting for cleaning
- 8. You can use a slightly higher setting for drying
- Move the polisher around inside the pad washer to be sure all parts of the pad are cleaned



PACKING: 1 x 1

CODE: RDW-PD01



SUPER CLAY BLUE 100G



PRODUCT FEATURES

- Easy to use
- Safe on all paints
- Removes contaminants

EASY TO USE * SAFE ON ALL PAINTS * REMOVES CONTAMINANTS Directions of use; 1 Wash surface; 2 West and form the play 3 Spray water or special lubricant 4 Wipe Clay after use Note; Keep day always moist with water after first use Made for RedWing Automotive (UK) Limited DALTON HOUSE 80 Windsor Avenual London, SW19 2RR United Kingdom ITEM CODE: RDW-SC100 Made

DIRECTIONS OF USE

- 1. Wash surface
- 2. Wet and form the clay
- 3. Spray water or special lubricant
- 4. Wipe clay after use
- 5. Note: Keep clay always moist with water after first use

PACKING: 1 x 100g

CODE: RDW-SC100



